



SAFETY DATA SHEET

Jangro - SCRUBBER DRYER POWER

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product name Jangro - SCRUBBER DRYER POWER
 Product No. A109 JA
 Internal Id BD061-5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Alkaline Liquid Hard Surface Cleaner

1.3. Details of the supplier of the safety data sheet

Supplier Jangro Limited
 Jangro House
 Worsley Road
 Farnworth
 Bolton. UK
 BL4 9LU
 Tel: 0845 458 5223
 Fax: 01204 579 499
 centraloffice@jangrohq.net

1.4. Emergency telephone number

01772 318 818 - 8.30am to 4.45pm - Mon to Fri

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (1999/45/EEC) Xi;R36/38.

2.2. Label elements

Labelling



Irritant

Risk Phrases

R36/38

Irritating to eyes and skin.

Safety Phrases

S2

Keep out of the reach of children.

S24/25

Avoid contact with skin and eyes.

S26

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S46

If swallowed, seek medical advice immediately and show this container or label.

2.3. Other hazards

This product does not contain any PBT or vPvB substances.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Jangro - SCRUBBER DRYER POWER

3.2. Mixtures

ALCOHOL (C9-C11) ETHOXYLATE (6EO) 5-10%	
CAS-No.: 68439-45-2 EC No.:	
Classification (EC 1272/2008) Acute Tox. 4 - H302 Eye Dam. 1 - H318	Classification (67/548/EEC) Xn;R22. Xi;R41.
AMINO TRIMETHYLENE PHOSPHONIC ACID PENTA SODIUM SALT 1-5%	
CAS-No.: 2235-43-0 EC No.:	
Classification (EC 1272/2008) Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	Classification (67/548/EEC) Xi;R36/38.
SODIUM CUMENE SULPHONATE 1-5%	
CAS-No.: 32073-22-6 EC No.: 250-913-5	
Classification (EC 1272/2008) Eye Irrit. 2 - H319	Classification (67/548/EEC) Xi;R36.
SODIUM HYDROXIDE 0-1%	
CAS-No.: 1310-73-2 EC No.: 215-185-5 Registration Number: 01-2119457892-27-xxxx	
Classification (EC 1272/2008) Skin Corr. 1A - H314	Classification (67/548/EEC) C;R35

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation

Not relevant Unlikely route of exposure as the product does not contain volatile substances. In case of inhalation of spray mist: Move person into fresh air and keep at rest.

Ingestion

DO NOT INDUCE VOMITING! Drink a few glasses of water or milk. Get medical attention.

Skin contact

Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.

Eye contact

Promptly wash eyes with plenty of water while lifting the eye lids. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

4.2. Most important symptoms and effects, both acute and delayed

General information

The severity of the symptoms described will vary dependant of the concentration and the length of exposure.

Inhalation

Irritation of nose, throat and airway.

Jangro - SCRUBBER DRYER POWER

Ingestion

May cause discomfort if swallowed.

Skin contact

Skin irritation. Prolonged skin contact may cause redness and irritation.

Eye contact

May cause temporary eye irritation. Prolonged contact may cause redness and/or tearing.

4.3. Indication of any immediate medical attention and special treatment needed

Treat Symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Extinguishing media

This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

Specific hazards

When heated and in case of fire, harmful vapours/gases may be formed.

5.3. Advice for firefighters

Protective equipment for fire-fighters

Self contained breathing apparatus and full protective clothing must be worn in case of fire.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with eyes. Avoid contact with skin.

6.2. Environmental precautions

Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Small quantities may be flushed to drains with plenty of water. Large Spillages: Pick up with vacuum or absorbent solid, store in closed container for disposal.

6.4. Reference to other sections

For personal protection, see section 8.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Avoid contact with skin and eyes.

7.2. Conditions for safe storage, including any incompatibilities

Store at moderate temperatures in dry, well ventilated area. Keep in original container. Store away from: Oxidising material.

7.3. Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

Usage Description

See Product Information Sheet & Label for detailed use of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Name	STD	TWA - 8 Hrs	STEL - 15 Min	Notes
SODIUM HYDROXIDE	WEL		2 mg/m3	

Jangro - SCRUBBER DRYER POWER

WEL = Workplace Exposure Limit.

Ingredient Comments

STEL= Short-Term Exposure Limit (15 minute) & TWA = Time Weighted Average (8 hours).

8.2. Exposure controls

Engineering measures

Not relevant

Respiratory equipment

Respiratory protection not required.

Hand protection

For prolonged or repeated skin contact use suitable protective gloves. (Household rubber gloves.)

Eye protection

Eye protection recommended.

Other Protection

Wear appropriate clothing to prevent any possibility of skin contact.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear Blue.
Odour	Faint surfactant
Solubility	Soluble in water.
Initial boiling point and boiling range (°C)	100
Melting point (°C)	0
Relative density	1.054 @ 20 °c
pH-Value, Conc. Solution	12.80
Flash point (°C)	Boils without flashing

9.2. Other information

None.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

The solution is strongly alkaline and reacts with strong acids with heat generation.

10.2. Chemical stability

No particular stability concerns.

10.3. Possibility of hazardous reactions

See sections 10.1, 10.4 & 10.5

10.4. Conditions to avoid

There are no known conditions that are likely to result in a hazardous situation.

10.5. Incompatible materials

Materials To Avoid

Strong acids. Aluminium, Tin, Zinc and their alloys.

10.6. Hazardous decomposition products

No hazardous decomposition products.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Jangro - SCRUBBER DRYER POWER

Toxicological information

We have not carried out any animal testing, therefore we have no Toxicological Data specifically for this product. The Toxicological Data, where provided by the raw material manufacturer, can be made available on request.

Other Health Effects

Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity

Not regarded as dangerous for the environment.

12.1. Toxicity

We have not carried out any Aquatic testing, therefore we have no Aquatic Toxicity Data specifically for this product. The Aquatic Toxicity Data, where provided by the raw material manufacturer for ingredients with aquatic toxicity, can be made available on request.

12.2. Persistence and degradability

Degradability

Sequestrant is readily degraded during biological effluent treatment processes.

12.3. Bioaccumulative potential

Bioaccumulative potential

The product does not contain any substances expected to be bioaccumulating.

12.4. Mobility in soil

Mobility:

Not known.

12.5. Results of PBT and vPvB assessment

This product does not contain any PBT or vPvB substances.

12.6. Other adverse effects

Not known.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal by approved waste contractor. Consign empty container to normal waste.

SECTION 14: TRANSPORT INFORMATION

14.1. UN number

UN No. (ADR/RID/ADN)	3266
UN No. (IMDG)	3266
UN No. (ICAO)	3266

14.2. UN proper shipping name

Proper Shipping Name CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hydroxide solution)

14.3. Transport hazard class(es)

ADR/RID/ADN Class	Class 8: Corrosive substances.
IMDG Class	Class 8: Corrosive substances.
ICAO Class/Division	Class 8: Corrosive substances.
Transport Labels	

Jangro - SCRUBBER DRYER POWER



14.4. Packing group

ADR/RID/ADN Packing group	III
IMDG Packing group	III
ICAO Packing group	III

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant
No.

14.6. Special precautions for user

EMS	F-A, S-B
Tunnel Restriction Code	(E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not relevant for packaged product.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Guidance Notes

Workplace Exposure Limits EH40.

EU Legislation

Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No 453/2010 (which amends Regulation (EC) No 1907/2006). The product is as classified under CHIP Directive 1999/45/EEC Classification, Packaging & Labelling of Dangerous Preparations. Ingredients are listed with classification under both CHIP - Directive 67/548/EEC - classification, packaging & labelling of dangerous substances & GHS/CLP-Regulation (EC) No 1272/2008 classification, labelling & packaging of substances & mixtures.

15.2. Chemical Safety Assessment

No chemical safety assessment has been carried out as not applicable as this product is a mixture.

SECTION 16: OTHER INFORMATION

Information Sources

Material Safety Data Sheet, Misc. manufacturers.

Revision Comments

New Format Safety Data Sheet prepared in accordance with REACH Commission Regulation (EU) No 453/2010 (which amends Regulation (EC) No 1907/2006). - No change in Product Classification - Main change is the move of Labelling elements from Section 15 to Section 2 & Section 3 now has a different layout for the Ingredients and lists their classification in both CHIP & CLP format.

Revision Date 01/10/12

Revision Issue 6

Safety Data Sheet Status The Risk Phrases / Hazard Statements listed below in this Section No 16 relate to the Raw Materials (Ingredients) in the Product (as listed in Section 3) and NOT the product itself. For the Risk Phrases / Hazard Statements relating to this Product see Section 2.

Jangro - SCRUBBER DRYER POWER

Risk Phrases In Full

R35	Causes severe burns.
R22	Harmful if swallowed.
R36/38	Irritating to eyes and skin.
R36	Irritating to eyes.
R41	Risk of serious damage to eyes.

Hazard Statements In Full

H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H302	Harmful if swallowed.