

SAFETY DATA SHEET 5L JANGRO BACTERICIDAL LEMON DETERGENT

Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name 5L JANGRO BACTERICIDAL LEMON DETERGENT

Product number 800-192-0004, BB041-5

Container size 5L

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Disinfectant. Detergent.

1.3. Details of the supplier of the safety data sheet

Supplier Jangro Ltd

Jangro Ltd Jangro House

Worsely Road, Farnworth

Bolton, BL4 9LU 01204 795955 01204 576801

Contact person For content of safety data sheet:, 01204 795 955

1.4. Emergency telephone number

Emergency telephone 0845 458 5223 (Jangro)

National emergency telephone In case of a medical emergency following exposure to a chemical call NHS Direct in England

number or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Dam. 1 - H318

Environmental hazards Not Classified

2.2. Label elements

Pictogram



Signal word Danger

Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage.

5L JANGRO BACTERICIDAL LEMON DETERGENT

Precautionary statements P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P332+P313 If skin irritation occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P337+P313 If eye irritation persists: Get medical advice/ attention.

P280 Wear protective gloves.

Contains QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL,

CHLORIDES, ALCOHOLS, C12-14, ETHOXYLATED, COCONUT DIETHANOLAMIDE

Detergent labelling < 5% disinfectants, < 5% non-ionic surfactants, < 5% perfumes, Contains d-LIMONENE

statements

Supplementary precautionary P264 Wash contaminated skin thoroughly after handling.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-

1-5%

16-ALKYLDIMETHYL, CHLORIDES

EC number: 270-325-2 CAS number: 68424-85-1

M factor (Acute) = 1

Classification Classification (67/548/EEC or 1999/45/EC)

Acute Tox. 4 - H302 C;R34 Xn;R21/22 N;R50

Acute Tox. 4 - H312 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400

ALCOHOLS, C12-14, ETHOXYLATED

1-5%

CAS number: 68439-50-9 EC number: 500-213-3 REACH registration number: 01-

2119487984-16-XXXX

M factor (Acute) = 1

Classification

Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 3 - H412

COCONUT DIETHANOLAMIDE

1-5%

CAS number: 68603-42-9 EC number: 931-329-6

Classification

Classification (67/548/EEC or 1999/45/EC)

Xi;R38,R41.

Skin Irrit. 2 - H315 Eye Dam. 1 - H318

Aquatic Chronic 2 - H411

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

5L JANGRO BACTERICIDAL LEMON DETERGENT

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Provide eyewash station.

Inhalation Move affected person to fresh air at once. Rinse nose and mouth with water. Get medical

attention if any discomfort continues.

Ingestion Never give anything by mouth to an unconscious person. Do not induce vomiting. Rinse

mouth thoroughly with water. Get medical attention if any discomfort continues.

Skin contact Rinse immediately with plenty of water. Remove contaminated clothing. Get medical attention

if irritation persists after washing.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide

apart. Continue to rinse for at least 15 minutes. Get medical attention if symptoms are severe

or persist after washing. Show this Safety Data Sheet to the medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

General information Provide eyewash station.

Skin contact Prolonged contact may cause redness, irritation and dry skin.

Eye contact The product is irritating to eyes and skin. Prolonged or repeated exposure may cause the

following adverse effects: Irritation and redness, followed by blurred vision. Corneal damage.

Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

Foam, carbon dioxide or dry powder.

5.2. Special hazards arising from the substance or mixture

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances: Oxides

of carbon. Toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during

firefighting

Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8. Treat the spilled material according to the instructions

in the clean-up section. Take care as floors and other surfaces may become slippery.

6.2. Environmental precautions

Environmental precautions Collect and dispose of spillage as indicated in Section 13. Do not discharge into drains or

watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

5L JANGRO BACTERICIDAL LEMON DETERGENT

Methods for cleaning upStop leak if safe to do so. Absorb in vermiculite, dry sand or earth and place into containers.

Flush contaminated area with plenty of water. Avoid the spillage or runoff entering drains,

sewers or watercourses.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health

hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Provide adequate ventilation. Avoid spilling. Avoid contact with skin and eyes. Wear protective

clothing as described in Section 8 of this safety data sheet. Avoid breathing vapour/spray. Do

not mix with other household chemical products. Do not mix with acid.

Advice on general occupational hygiene

Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling. Take off contaminated clothing and wash it before reuse. Use appropriate hand lotion to prevent defatting and cracking of skin.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store at room

temperature. Keep out of the reach of children. Keep away from heat, hot surfaces, sparks,

open flames and other ignition sources. No smoking.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Ingredient comments No exposure limits known for ingredient(s).

ALCOHOLS, C12-14, ETHOXYLATED (CAS: 68439-50-9)

DNEL Workers - Inhalation; Long term systemic effects: 294 mg/m³

Workers - Dermal; Long term systemic effects: 2080 mg/kg/day General population - Inhalation; Long term systemic effects: 87 mg/m³ General population - Dermal; Long term systemic effects: 1250 mg/kg/day General population - Oral; Long term systemic effects: 25 mg/kg/day

PNEC - Fresh water; 0.0437 mg/l

- Intermittent release; 0.004 mg/l

- STP; 10 mg/l

Sediment (Freshwater); 31 mg/kgSediment (Marinewater); 31 mg/kg

- Soil; 1 mg/kg

COCONUT DIETHANOLAMIDE (CAS: 68603-42-9)

DNEL Workers - Inhalation; Long term systemic effects: 73.4 mg/m³

Workers - Dermal; Long term systemic effects: 4.16 mg/kg/day Workers - Dermal; Long term local effects: 0.0936 mg/cm²

General population - Inhalation; Long term systemic effects: 21.73 mg/m³ General population - Dermal; Long term systemic effects: 2.5 mg/kg/day General population - Dermal; Long term local effects: 0.0562 mg/cm² General population - Oral; Long term systemic effects: 6.25 mg/kg/day

5L JANGRO BACTERICIDAL LEMON DETERGENT

PNEC - Fresh water; 0.007 mg/l

- marine water; 0.001 mg/l

- STP; 830 mg/l

- Sediment (Freshwater); 0.195 mg/kg - Sediment (Marinewater); 0.019 mg/kg

- Soil; 0.035

DIETHANOLAMINE (CAS: 111-42-2)

DNEL Workers - Inhalation; Long term local effects: 1 mg/m3

Workers - Dermal; Long term systemic effects: 0.13 mg/cm²

General population - Inhalation; Long term local effects: 0.25 mg/m3 General population - Dermal; Long term systemic effects: 0.07 mg/kg/day General population - Oral; Long term systemic effects: 0.06 mg/kg/day

PNEC - Fresh water; 0.02 mg/l

- marine water; 0.002 mg/l

- STP; 100 mg/l

- Sediment (Freshwater); 0.092 mg/kg - Sediment (Marinewater); 0.009 mg/kg

- Soil; 0.007 mg/kg

8.2. Exposure controls

Protective equipment





Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex). Neoprene. Nitrile rubber. Polyethylene. To protect hands from chemicals, gloves should comply with European Standard EN374.

Other skin and body

protection

Wear appropriate clothing to prevent repeated or prolonged skin contact. Use appropriate

hand lotion to prevent defatting and cracking of skin.

Hygiene measures

When using do not eat, drink or smoke. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Use appropriate skin cream to prevent drying of skin.

Respiratory protection

Respiratory protection not required.

Environmental exposure

controls

Avoid releasing into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

5L JANGRO BACTERICIDAL LEMON DETERGENT

Appearance Liquid.

Colour Blue.

Odour Mild.

pH pH (concentrated solution): 7.5 typically

Relative density 1.010 typically @ 20°C

Solubility(ies) Soluble in water.

Explosive under the influence

of a flame

Not considered to be explosive.

Comments

Information given is applicable to the product as supplied.

9.2. Other information

Other information Not relevant.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Not applicable.

10.4. Conditions to avoid

Conditions to avoid Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition

No known hazardous decomposition products.

products

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects Information given is based on data of the components and of similar products.

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 9,937.5

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

ATE dermal (mg/kg) 39,000.0

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

5L JANGRO BACTERICIDAL LEMON DETERGENT

Skin corrosion/irritation

Skin corrosion/irritation Causes skin irritation. Calculation method.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage. Calculation method.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

Reproductive toxicity

Reproductive toxicity - fertility Does not contain any substances known to be toxic to reproduction.

Specific target organ toxicity - single exposure

STOT - single exposureNot classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

General information This product has low toxicity.

Ingestion May cause irritation. Symptoms following overexposure may include the following: Stomach

pain. Nausea, vomiting. Diarrhoea.

Skin contact Skin irritation should not occur when used as recommended. Prolonged or repeated exposure

may cause the following adverse effects: Irritation. Redness. Dryness and/or cracking. Mild

dermatitis, allergic skin rash.

Eye contact Irritating to eyes. May cause serious eye damage. Severe irritation, burning, tearing and

blurred vision. Corneal damage.

Toxicological information on ingredients.

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES

Acute toxicity - oral

Acute toxicity oral (LD50

397.5

mg/kg)

Species Rat

ATE oral (mg/kg) 397.5

Acute toxicity - dermal

ATE dermal (mg/kg) 1,560.0

ALCOHOLS, C12-14, ETHOXYLATED

Acute toxicity - oral

Acute toxicity oral (LD50

mg/kg)

2,000.1

5L JANGRO BACTERICIDAL LEMON DETERGENT

Species Rat

Notes (oral LD50) Based on available data the classification criteria are not met. REACH dossier

information.

ATE oral (mg/kg) 2,000.1

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 2,000.1

mg/kg)

Species Rat

Notes (dermal LD₅₀) Based on available data the classification criteria are not met. REACH dossier

information.

ATE dermal (mg/kg) 2,000.1

Acute toxicity - inhalation

Notes (inhalation LC50) Based on available data the classification criteria are not met. REACH dossier

information.

Skin corrosion/irritation

Skin corrosion/irritation Based on available data the classification criteria are not met. REACH dossier

information.

Serious eye damage/irritation

Serious eye Causes serious eye damage.

damage/irritation

Respiratory sensitisation No information available.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met. REACH dossier

information.

Germ cell mutagenicity

Respiratory sensitisation

Genotoxicity - in vitroThis substance has no evidence of mutagenic properties.

Reproductive toxicity

Reproductive toxicity - Based on available data the classification criteria are not met. REACH dossier

fertility information.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

SECTION 12: Ecological information

Ecotoxicity There are no data on the ecotoxicity of this product. Not regarded as dangerous for the

environment.

12.1. Toxicity

Toxicity Not considered toxic to fish.

5L JANGRO BACTERICIDAL LEMON DETERGENT

Ecological information on ingredients.

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES

Acute aquatic toxicity

LE(C)50 $0.1 < L(E)C50 \le 1$

M factor (Acute)

Acute toxicity - fish LC₅₀, 96 hours: 0.85 - 1.2 mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 0.02 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

LC₅₀, 96 hours: 0.06 mg/l, Algae

ALCOHOLS, C12-14, ETHOXYLATED

Acute aquatic toxicity

 $0.1 < L(E)C50 \le 1$ LE(C)50

M factor (Acute)

LC₅₀, 96 hours: 0.876 mg/l, Fish Acute toxicity - fish

REACH dossier information.

Acute toxicity - aquatic

EC₅₀, 48 hours: 0.39 mg/l, Daphnia magna

REACH dossier information. invertebrates

Chronic aquatic toxicity

Chronic toxicity - fish early EC₂₀, 30 days: 1.09 mg/l, Pimephales promelas (Fat-head Minnow)

life stage

REACH dossier information.

Chronic toxicity - aquatic

invertebrates

NOEC, 21 days: 0.77 mg/l, Daphnia magna

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product. The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

Ecological information on ingredients.

QUATERNARY AMMONIUM COMPOUNDS, BENZYL-C12-16-ALKYLDIMETHYL, CHLORIDES

Persistence and degradability

The substance is readily biodegradable.

ALCOHOLS, C12-14, ETHOXYLATED

Biodegradation The substance is readily biodegradable.

REACH dossier information.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Ecological information on ingredients.

5L JANGRO BACTERICIDAL LEMON DETERGENT

ALCOHOLS, C12-14, ETHOXYLATED

Bioaccumulative potential No potential for bioaccumulation.

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

Ecological information on ingredients.

ALCOHOLS, C12-14, ETHOXYLATED

Adsorption/desorption

acefficient

- Log Koc: 3.7-4.5 @ °C REACH dossier information.

coefficient

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

Ecological information on ingredients.

ALCOHOLS, C12-14, ETHOXYLATED

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current EU criteria.

assessment

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Do not discharge into drains or watercourses or onto the ground.

Disposal methodsDispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Reuse or recycle products wherever possible.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

5L JANGRO BACTERICIDAL LEMON DETERGENT

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as

amended).

EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Commission Regulation (EU) No 453/2010 of 20 May 2010.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at

work (as amended).

Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and

Directive 91/689/EEC on hazardous waste with amendments. Commission Regulation (EU) No 2015/830 of 28 May 2015.

Guidance Workplace Exposure Limits EH40.

ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets.

COSHH Essentials.

Technical Guidance WM2: Hazardous Waste.

15.2. Chemical safety assessment

Currently we do not have information from our suppliers about this.

SECTION 16: Other information

Abbreviations and acronyms DNEL: Derived No Effect Level.

used in the safety data sheet PBT: Persistent, Bioaccumulative and Toxic substance.

PNEC: Predicted No Effect Concentration.

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978.

Revision comments New revision number applied to comply with Commission Regulation (EU) No 2015/830 Of

28 May 2015' NOTE: Lines within the margin indicate significant changes from the previous

revision.

Revision date 28/03/2019

Revision 2

Supersedes date 26/11/2018

SDS number 21979

5L JANGRO BACTERICIDAL LEMON DETERGENT

Risk phrases in full R21/22 Harmful in contact with skin and if swallowed.

R34 Causes burns. R38 Irritating to skin.

R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms.

Hazard statements in full H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H318 Causes serious eye damage. H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.