Date Issued: 21/10/2015

SECTION 1: IDENTIFICATION OF THE PREPARATION AND THE COMPANY

PRODUCT NAME: BOWL CLIP (HONEYSUCKLE) BC085-HS

RECOMMENDED USE: Deodorizer


RESTRICTIONS ON USE: For intended use only

MANUFACTURED FOR:

Jangro Ltd
Jangro House
Worsley Road
Farnworth
Bolton BL4 9LU

TELEPHONE: 01204 795 955 (9am - 5pm)

EMERGENCY CONTACT: 0845 4647 (out of hours)



<u>General</u>: Contains small amounts of chemicals that are hazardous to health and the environment but in quantities too small to constitute any practical risks to health or the environment. Combustible material.

UNDER EC REGULATION 1272/2008 AS AMENDED ("CLP")

 Skin Irrit. 2
 H315

 Skin Sens. 1
 H317

 Eye Irrit. 2
 H319

UNDER EC REGULATION 1272/2008 AS AMENDED ("CLP")

Signal word:

WARNING

Pictograms:

Exclamation mark



Hazard Statements:

H315 : Causes skin irritation

H317 : May cause an allergic skin reactionH319 : Causes serious eye irritation

Precaution Statements:

P103: Read label before use

P273: Avoid release to the environment

 ${\tt P280: Wear \ protectic \ gloves/protection \ clothing/eye \ protection/face \ protection}$

P302 + P352: IF ON SKIN: Wash with plenty of water

P333 + P313: If skin irritation or rash occurs: Get medical advice/attention

P501: Dispose of contents/container to approved containers

Labelling According to EU Guidelines

Xi: Irritant

SECTION 3: INGREDIENT INFORMATION

 $\underline{\textbf{Chemical Identification}} : \textbf{Solid plastic slow-release deodorizing preparation in the form of a}$

 $molded\ urinal\ screen.\ It\ is\ made\ from\ pigmented\ thermoplastic\ impregnated$

with a fragrance composition and color to represent the fragrance. For institutional use only.

Form/Shape: Toilet bowl clip weighs approximately 52g.

<u>CAS Number</u>: Not applicable since the product is a preparation. <u>EINECS/ELINCS #:</u> Not applicable since the product is a preparation.

The product is a complex mixture of substances of which the following have been classified as presenting

a health or environmental hazard or as having an occupational exposure limit within the meaning of

the Directive 67/548/EEC or 1999/45/EC

Jangro



Level (%) 60-80%	CAS Nr 24937-78-8	EC Nr	Substance ETHYLENE-VINYL ACETATE COPOLYMER	Hazard Classification			
				(Dir. 67/548/CE)		(Reg. CE 1272/2008)	
0.3-3%	78-70-6	201-134-4	3,7-Dimethylocta-1,6-dien-3-ol	R36/38	Xi	H315	Skin Irrit. 2
0.2-2%	105-87-3	203-341-5	2,6-OCTADIEN-1-OL, 3,7-DIMETHYL-, ACETATE, (E)-	R51/53	N	H411	Aquatic Chronic 2
0.3-3%	5413-60-5	226-501-6	3a,4,5,6,7,7a-Hexahydro-4,7-methanoinden-6 yl acetate	R52/53		H412	Aquatic Chronic 3
0.2-2%	17511-60-3	241-514-7	3a,4,5,6,7,7a-Hexahydro-4,7-methano-1H- inden-6-yl propionate	R51/53	N	H411	Aquatic Chronic 2
0.3-3%	103-45-7	203-113-5	ACETIC ACID, 2-PHENYLETHYL ESTER	R36	Xi	H319	Eye Irrit. 2
0.1-1%	142-92-7	205-572-7	ACETIC ACID, HEXYL ESTER	R51/53	N	H411	Aquatic Chronic 2
0.1-1%	101-84-8	202-981-2	BENZENE, 1,1'-OXYBIS-	R51/53	N	H411	Aquatic Chronic 2
0.3-3%	60-12-8	200-456-2	BENZENEETHANOL	R36	Xi	H319	Eye Irrit. 2
0.3-3%	151-05-3	205-781-3	1,1-Dimethyl-2-phenylethyl acetate	R52/53		H412	Aquatic Chronic 3
0.1-1%	80-54-6	201-289-8	BENZENEPROPANAL, 4-(1,1-DIMETHYLETHY)- a-METHYL-	R38	Xi	H315	Skin Irrit. 2
				R43 R51/53 R62	N Repr. Cat. 3	H317 H411 H361f	Skin Sens. 1 Aquatic Chronic 2 Repr. 2
0.1-1%	103-95-7	203-161-7	BENZENEPROPANAL, a-METHYL-4-(1- METHYLETHYL)-	R38	Xi	H315	Skin Irrit. 2
				R43 R51/53 R62	N Repr. Cat. 3	H317 H411 H361f	Skin Sens. 1 Aquatic Chronic 2 Repr. 2
0.2-2%	2050-08-0	218-080-2	BENZOIC ACID, 2-HYDROXY-, PENTYL ESTER	R51/53	N N	H411	Aquatic Chronic 2
0.2-2%	120-51-4	204-402-9	BENZYL BENZOATE	R22 R51/53	Xn N	H302 H411	Acute Tox. 4 Aquatic Chronic 2
0.3-3%	128-51-8	204-891-9	BICYCLO[3.1.1]HEPT-2-ENE-2-ETHANOL, 6,6- DIMETHYL-, ACETATE	R52/53		H412	Aquatic Chronic 3
0.3-3%	122-40-7	204-541-5	HEPTANAL, 2-(PHENYLMETHYLENE)-	R43		H317	Skin Sens. 1
				R51/53	N	H411	Aquatic Chronic 2
0.1-1%	93-18-5	202-226-7	NAPHTHALENE, 2-ETHOXY-	R38	Xi	H315	Skin Irrit. 2
				R51/53	N	H411	Aquatic Chronic 2
0.2-2%	93-04-9	202-213-6	NAPHTHALENE, 2-METHOXY-	R51/53	N	H411	Aquatic Chronic 2
0.3-3%	107-75-5	203-518-7	OCTANAL, 7-HYDROXY-3,7-DIMETHYL-	R38 R43	Xi	H315 H317	Skin Irrit. 2 Skin Sens. 1
0.1-1%	8022-15-9	294-470-6	OILS, LAVANDIN	R51/53	N	H411	Aquatic Chronic 2
0.3-3%	8000-41-7	232-268-1	TERPINEOL	R38	Xi	H315	Skin Irrit. 2
<0.3%	5392-40-5	226-394-6	2,6-OCTADIENAL, 3,7-DIMETHYL-	R43		H317	Skin Sens. 1
				R38	Xi	H315	Skin Irrit. 2
).3%	68039-49-6	268-264-1	2,4-Dimethylcyclohex-3-ene-1- carboxaldehyde	R43		H317	Skin Sens. 1
.3%	122-78-1	204-574-5	BENZENEACETALDEHYDE	R43		H317	Skin Sens. 1
1.3%	97-53-0	202-589-1	PHENOL, 2-METHOXY-4-(2-PROPENYL)-	R43		H317	Skin Sens. 1

SECTION 4: FIRST AID MEASURES

 $\underline{\textit{General}} \hbox{: No specific acute effects or symptoms are known.}$

<u>Inhalation</u>: No acute effects expected. If person is feeling unwell, remove to fresh air.

 $\underline{\textbf{Ingestion:}} \ \textbf{Possibility of ingestion limited due to product form and difficulty to chew and ingest.} \ \textbf{In the event of} \ \\$

ingestion, rinse mouth thoroughly with water.

Skin: Wash off with soap and water.

 $\underline{\text{Eyes:}} \ \text{Possibility of eye contact limited. In the event, wash thoroughly with water or approved eyewash.}$

SECTION 5: FIRE FIGHTING MEASURES

Extinguishing Media: Use extinguishing media appropriate for the surrounding fire. Water spray, fog or mist. Dry chemicals. sand etc.

Exposure Hazards: Thermal decomposition or burning may release a variety of products

ranging from simple hydrocarbons to toxic/irritating gases including

carbon monoxide and carbon dioxide. Full protective

clothingshould be worn before a confined fire space is

entered. Self-contained breathing apparatus should be worn.



No special requirements for accidental release required. Apply good housekeeping practices.

SECTION 7: HANDLING AND STORAGE

<u>Usage Precautions</u>: Follow normal good-housekeeping practices. Keep away from direct flames. <u>Storage Precautions</u>: Keep in cool, dry conditions in original containers at no more than 30° C

SECTION 8: EXPOSURE CONTROL AND PERSONAL PROTECTION

Occupational Exposure limit: Not Established

Respiratory Protection: None required under normal usage

Protection: Although unexpected, avoid prolonged skin contact. Use chemically resistant gloves as needed.

Eye Protection: None required

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Thermoplastic clip infused with fragrance oil.

Odor: Honeysuckle (Clear Screen) Odor Threshold: Not determined

Color: Clear

pH value: Not determined/applicable

Melting Pt: Estimated 60° C Boiling Pt: Not applicable. Flash pt: Not applicable.

Evaporation Rate: Not applicable.

Flammability: Not determined/applicable

<u>UEL:</u> Not determined <u>LEL:</u> Not determined

<u>Vapor Pressure:</u> Not determined/applicable <u>Vapor Density:</u> Not determined/applicable

<u>Relative Density:</u> Not determined <u>Solubility in water</u>: Insoluble. <u>Partition Coefficient:</u> Not determined

<u>Autiignition Temperature:</u> Not applicable <u>Decomposition Temperature:</u> Not determined/applicable

SECTION 10: STABILITY AND REACTIVITY

Stability: Normally stable.

Conditions to avoid: Avoid extreme heat and naked flames.

Materials to avoid: Strong oxidizing agents.

<u>Decomposition Products</u>: None under normal storage conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

<u>Acute Effects:</u> Ingredients include a small quantity of volatile fragrance chemicals which may contain small amounts of substances that are harmful if swallowed and/or irritating to the eyes and skin.

Chronic Effects: None are known.

Health Risks:

INHALATION: Prolonged exposure to volatile ingredients is unlikely to cause irritation or other adverse health effects.

INGESTION: No practical risk of adverse health effects. SKIN CONTACT: No practical risk of adverse health effects. EYE CONTACT: No practical risk of adverse health effects.

SECTION 12: ECOLOGICAL INFORMATION

No specific information has been established regarding the product. However according to the conventional method of Directive 99/45/EC the product is classified as harmful to aquatic organisms, or causing long-term effects in the aquatic environment.

Ecotoxicity: N/A

Persistence and Degradability: N/A Bioaccumulative Potential: N/A

Mobility in Soil: N/A Other Adverse Effects: N/A

SECTION 13: DISPOSAL CONSIDERATIONS

 $\label{lem:conditional} \textbf{Dispose of in accordance with Local Authority requirements e.g., for used product, as household was tended to be a conditional condition of the conditional conditions of the conditional conditions are also conditional conditions. The conditional conditions are also conditions are also conditional conditions are also conditions are also$

SECTION 14: TRANSPORT INFORMATION

Product is not regulated as hazardous DOT Classifications: Non Hazardous

UN-Number: N/A

UN Proper Shipping Name: N/A Transport Hazard Class: N/A Packing group: N/A

Marine Pollutant: N/A

Special Precautions with Transport: N/A

SECTION 15: REGULATORY INFORMATION

Classification, Packaging and Labelling according to Directive 99/45/EC

Signal word:

WARNING

Pictograms:

Exclamation mark

Hazard Statements:

H315 : Causes skin irritation

H317 : May cause an allergic skin reaction H319 : Causes serious eye irritation

Precaution Statements:

P103: Read label before use

P273: Avoid release to the environment

 ${\tt P280: Wear \ protectic \ gloves/protection \ clothing/eye \ protection/face \ protection}$

P302 + P352: IF ON SKIN: Wash with plenty of water

P333 + P313: If skin irritation or rash occurs: Get medical advice/attention

P501: Dispose of contents/container to approved containers

SECTION 16: OTHER INFORMATION

This Safety Data Sheet was prepared to comply with the current OSHA Hazard Communication Standard (HCS) adoption of the Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

