Newell Rubbermaid

Rubb

SPARKLING FRUITS DUET

Safety Data Sheet

according to Regulation (EC) No. 453/2010 Date of issue: 26/03/2015 Revision date:

Version: 1.0

:

1.1. Product identifier	
Product name	: SPARKLING FRUITS DUET
Product code	: 808381
Vaporizer	: Aerosol
SKU #	: 1910757
1.2. Relevant identified uses of the	e substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Use of the substance/mixture	: Odour agents Air care products
1.2.2. Uses advised against	
No additional information available	
1.3. Details of the supplier of the s	afety data sheet
Supplier Newell Europe sàrl 10 chemin de Blandonnet 1214 Vernier - Switzerland T +44(0)870 5686824 SDS.RCP@newellco.com	Other Newell Poland Services Sp. z.o.o. Plac Andersa 7 61-894 Poznań - Poland T +44(0)870 5686824 www.rubbermaid.eu/contact
1.4. Emergency telephone number	
Emergency number SECTION 2: Hazards identificati 2.1. Classification of the substance	: +44(0)870 5686824 ion e or mixture
Emergency number SECTION 2: Hazards identificati 2.1. Classification of the substance Classification according to Regulation (Aerosol 1 H222;H229	: +44(0)870 5686824 ion e or mixture
Emergency number SECTION 2: Hazards identificati 2.1. Classification of the substance Classification according to Regulation (Aerosol 1 H222;H229 Full text of H-phrases: see section 16	: +44(0)870 5686824 ion e or mixture
Emergency number SECTION 2: Hazards identificati 2.1. Classification of the substance Classification according to Regulation (Aerosol 1 H222;H229 Full text of H-phrases: see section 16 2.2. Label elements	: +44(0)870 5686824 ion e or mixture (EC) No. 1272/2008 [CLP]
Emergency number SECTION 2: Hazards identificati 2.1. Classification of the substance Classification according to Regulation (Aerosol 1 H222;H229 Full text of H-phrases: see section 16	: +44(0)870 5686824 ion e or mixture (EC) No. 1272/2008 [CLP] No. 1272/2008 [CLP]
Emergency number SECTION 2: Hazards identification 2.1. Classification of the substance Classification according to Regulation (Aerosol 1 H222;H229 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP)	∴ +44(0)870 5686824 ion e or mixture (EC) No. 1272/2008 [CLP] No. 1272/2008 [CLP] ∴ ∴ GHS02
Emergency number SECTION 2: Hazards identificati 2.1. Classification of the substance Classification according to Regulation (Aerosol 1 H222;H229 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) Hazard pictograms (CLP) Signal word (CLP)	: +44(0)870 5686824 ion e or mixture (EC) No. 1272/2008 [CLP] No. 1272/2008 [CLP]
Emergency number SECTION 2: Hazards identificati 2.1. Classification of the substance Classification according to Regulation (Aerosol 1 H222;H229 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC)	 : +44(0)870 5686824 ion e or mixture (EC) No. 1272/2008 [CLP] No. 1272/2008 [CLP] I E version of the second s

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 453/2010

3.2. Mixture

Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
(CAS No) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5 (REACH-no) 01-2119457610-43	1 - 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319
(CAS No) 67-63-0 (EC no) 200-661-7 (EC index no) 603-117-00-0 (REACH-no) 01-2119457558-25	1 - 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
(CAS No) 105-53-3	1 - 10	Eye Irrit. 2, H319
(CAS No) 78-70-6 (EC no) 201-134-4 (REACH-no) 01-2119474016-42	1 - 10	Skin Irrit. 2, H315
(CAS No) 1205-17-0	0,1 - 1	Skin Sens. 1, H317 Aquatic Chronic 2, H411
(CAS No) 103-95-7	0,1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Repr. 2, H361f Aquatic Chronic 2, H411
	(CAS No) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5 (REACH-no) 01-2119457610-43 (CAS No) 67-63-0 (EC no) 200-661-7 (EC no) 200-661-7 (EC no) 01-2119457558-25 (CAS No) 105-53-3 (CAS No) 78-70-6 (EC no) 201-134-4 (REACH-no) 01-2119474016-42 (CAS No) 1205-17-0	(CAS No) 64-17-5 1 - 10 (EC no) 200-578-6 1 - 10 (EC index no) 603-002-00-5 1 (CAS No) 67-63-0 1 - 10 (CAS No) 67-63-0 1 - 10 (EC no) 200-661-7 1 - 10 (EC index no) 603-117-00-0 1 - 10 (REACH-no) 01-2119457558-25 1 - 10 (CAS No) 78-70-6 1 - 10 (EC no) 201-134-4 1 - 10 (EC no) 201-134-4 0.1 - 11 (CAS No) 1205-17-0 0.1 - 1

Name	Product identifier	Specific concentration limits
Alcohol	(CAS No) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5 (REACH-no) 01-2119457610-43	(C >= 50) Eye Irrit. 2, H319

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Cough. Allow breathing of fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. If eye irritation persists: Get medical advice/attention. Remove contact lenses, if present and easy to do. Continue rinsing.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effec	ts, both acute and delayed
Symptoms/injuries after inhalation	: Shortness of breath.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
4.3. Indication of any immediate medical	attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5 5	
5.2. Special hazards arising from the sub Fire hazard	: Extremely flammable aerosol.
Explosion hazard	
	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
5.3. Advice for firefighters	
5.3. Advice for firefighters Firefighting instructions	

Safety Data Sheet

according to Regulation (EC) No. 453/2010

according to Regulation (EC) No. 453/2010		
SECTION 6: Accidental release measures		
6.1. Personal precautions, protective equipment and emergency procedures		
General measures	: No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.	
6.1.1. For non-emergency personnel		
Emergency procedures	: Evacuate unnecessary personnel.	
6.1.2. For emergency responders		
Protective equipment	: Equip cleanup crew with proper protection.	
Emergency procedures	: Ventilate area.	
6.2. Environmental precautions		
Prevent entry to sewers and public waters. N	lotify authorities if liquid enters sewers or public waters.	
6.3. Methods and material for contai	nment and cleaning up	
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.	
6.4. Reference to other sections		
See Heading 8. Exposure controls and personal protection.		
SECTION 7: Handling and storage	e	
7.1. Precautions for safe handling		
Additional hazards when processed	: Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.	
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.	
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.	

7.2. Conditions for safe storage, including any incompatibilities		
Technical measures	: Proper grounding procedures to avoid static electricity should be followed.	
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.	
Incompatible products	: Strong bases. Strong acids.	
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.	
7.3. Specific end use(s)		

No additional information available

SECTION 8: Exposure controls/personal protection

```
8.1. Control parameters
```

ISOPROPYL ALCOHOL (67-63-0)			
United Kingdom	Local name	Propan-2-ol	
United Kingdom	WEL TWA (mg/m ³)	999 mg/m³	
United Kingdom	WEL TWA (ppm)	400 ppm	
United Kingdom	WEL STEL (mg/m ³)	1250 mg/m ³	
United Kingdom	WEL STEL (ppm)	500 ppm	
Alcohol (64-17-5)			
United Kingdom	Local name	Ethanol	
United Kingdom	WEL TWA (mg/m ³)	1920 mg/m ³	
United Kingdom	WEL TWA (ppm)	1000 ppm	

8.2.	Exposure	control	S

Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves
Eye protection	: None under normal use
Respiratory protection	: None under normal use
Other information	: Do not eat, drink or smoke during use.

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 9: Physical and chemical properties		
9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Appearance	: Clear Transparent Liquid.	
Colour	: colourless to slightly yellow.	
Odour	: characteristic.	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Extremely flammable aerosol	
Vapour pressure	: 3,5 - 4,5 bar	
Relative vapour density at 20 °C	: No data available	
Relative density	: 0,619 - 0,645	
Solubility	: No data available	
Log Pow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: 1,8 - 19 vol %	
9.2. Other information		
No additional information available		
SECTION 10: Stability and reactivit	у	
10.1. Reactivity		
No additional information available		
10.2. Chemical stability		
Extremely flammable aerosol. Contains gas un sources of ignition.	der pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other	

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity	Not classified		
LINALOOL (78-70-6)			
LD50 oral	2790 mg/kg bodyweight		
LD50 dermal	5610 mg/kg bodyweight		
ISOPROPYL ALCOHOL (67-63-0)	ISOPROPYL ALCOHOL (67-63-0)		
LD50 oral rat	2000 mg/kg		
LD50 oral	4396 mg/kg bodyweight		
LD50 dermal rat	2000 mg/kg		
LD50 dermal	12800 mg/kg bodyweight		
LC50 inhalation rat (Dust/Mist - mg/l/4h)	46,6 mg/l/4h		
19/05/2015	EN (English) 4/8		

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg
LD50 oral	10470 mg/kg bodyweight
LD50 dermal rabbit	> 16000 mg/kg
LD50 dermal	15800 mg/kg bodyweight
LC50 inhalation rat (mg/l)	> 20 mg/l/4h
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 99,999 mg/l/4h
Skin corrosion/irritation	: Not classified
	Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
	Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
	Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
	Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified
	Based on available data, the classification criteria are not met
Specific target organ toxicity (repeated	: Not classified
exposure)	Based on available data, the classification criteria are not met
Againstian bazand	: Not classified
Aspiration hazard	
	Based on available data, the classification criteria are not met
SPARKLING FRUITS DUET	
Vaporizer	Aerosol
Potential adverse human health effects and	: Based on available data, the classification criteria are not met.

symptoms

SECTION 12: Ecological information

12.1. Toxicity

LINALOOL (78-70-6)		
LC50 fish 1	27,8 mg/l	
EC50 other aquatic organisms 1	88,3 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	20 mg/l IC50 algea (72 h) mg/l	
ISOPROPYL ALCOHOL (67-63-0)		
LC50 fish 1	100 mg/l	
EC50 Daphnia 1	100 mg/l	
EC50 other aquatic organisms 1	> 1000 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	13299 mg/l IC50 algea (72 h) mg/l	
Alcohol (64-17-5)		
LC50 fish 1	13000 mg/l	
EC50 Daphnia 1	9300 mg/l	
EC50 other aquatic organisms 1	275 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	5012 mg/l IC50 algea (72 h) mg/l	

12.2. Persistence and degradability SPARKLING FRUITS DUET Persistence and degradability Not established. Alcohol (64-17-5) Persistence and degradability Not established. 12.3. **Bioaccumulative potential** SPARKLING FRUITS DUET Bioaccumulative potential Not established. Alcohol (64-17-5) Not established. Bioaccumulative potential

Safety Data Sheet

according to Regulation (EC) No. 453/2010

12.4.	Mobility in soil	
No addi	tional information available	
12.5.	Results of PBT and vPvB assessme	ent
No addi	tional information available	
12.6.	Other adverse effects	
Additior	al information	: Avoid release to the environment
SECT	ION 13: Disposal consideratio	ons de la constance de la const

SECTION 13. Dispusal consider	
13.1. Waste treatment methods	
Waste disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use.
Additional information	: Flammable vapours may accumulate in the container.

Ecology - waste materials

: Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
1950	1950	1950	1950	1950
14.2. UN proper shippin	g name			
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document descri	ption	-		
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1			
14.3. Transport hazard	class(es)			
2.1	2.1	2.1	2.1	2.1
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
	No su	ipplementary information availa	ble	

14.6. Special precautions for user

- Overland transport	
Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207, LP02
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D
- Transport by sea	
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP02
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Stowage and segregation (IMDG)	: Protected from sources of heat For AEROSOLS with a maximum capacity of 1 litre: Category A. Segregation as for class 9 but 'Separated from' class 1 except division 1.4. For AEROSOLS with a capacity above 1 litre: Category B. Segregation as for the appropriate sub-division of class 2. For WASTE AEROSOLS: Category C. Clear of living quarters. Segregation as for the appropriate sub-division of class 2.
- Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167
ERG code (IATA)	: 10L
 Inland waterway transport 	
Classification code (ADN)	: 5F
Special provisions (ADN)	: 19, 327, 344, 625
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1
Carriage prohibited (ADN)	: No
Not subject to ADN	: No
Rail transport	
Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
Limited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP02
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Transport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W14
Special provisions for carriage - Loading, unloading and handling (RID)	: CW9, CW12
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 23
Carriage prohibited (RID)	: No

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

Safety Data Sheet

according to Regulation (EC) No. 453/2010

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources

: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

: None.

Full text of	H- and	EUH-phrases:

Aerosol 1	Aerosol, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Repr. 2	Reproductive toxicity, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H229	Pressurised container: May burst if heated
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H361f	Suspected of damaging fertility
H411	Toxic to aquatic life with long lasting effects
EUH208	Contains . May produce an allergic reaction

SDS EU ANNEX II NEWELL

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

Newell Rubbermaid

Rubb

COTTON BERRY MB DUET

Safety Data Sheet

according to Regulation (EC) No. 453/2010 Date of issue: 01/04/2015 Revision date:

Version: 1.0

:

1.1. Product identifier	
Product name	: COTTON BERRY MB DUET
Product code	: 808391
Vaporizer	: Aerosol
SKU #	: 1910757
I.2. Relevant identified uses of the	substance or mixture and uses advised against
1.2.1. Relevant identified uses	
Main use category	: Professional use
Jse of the substance/mixture	: Air care products Odour agents
I.2.2. Uses advised against	
No additional information available	
I.3. Details of the supplier of the sa	ifety data sheet
	Other
Supplier Newell Europe sàrl	Newell Poland Services Sp. z.o.o.
10 chemin de Blandonnet	Plac Andersa 7
1214 Vernier - Switzerland T +44(0)870 5686824	61-894 Poznań - Poland T +44(0)870 5686824
SDS.RCP@newellco.com	www.rubbermaid.eu/contact
I.4. Emergency telephone number	
Emergency number	: +44(0)870 5686824
SECTION 2: Hazards identification	on
2.1. Classification of the substance	
	e or mixture
Classification according to Regulation (
Classification according to Regulation (E Aerosol 1 H222;H229	
Classification according to Regulation (E Aerosol 1 H222;H229 Eye Irrit. 2 H319	
Classification according to Regulation (E Aerosol 1 H222;H229 Eye Irrit. 2 H319 Full text of H-phrases: see section 16	
Classification according to Regulation (E Aerosol 1 H222;H229 Eye Irrit. 2 H319 Full text of H-phrases: see section 16 2.2. Label elements	EC) No. 1272/2008 [CLP]
Classification according to Regulation (E Aerosol 1 H222;H229 Eye Irrit. 2 H319 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) N	EC) No. 1272/2008 [CLP]
Classification according to Regulation (E Aerosol 1 H222;H229 Eye Irrit. 2 H319 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) N	EC) No. 1272/2008 [CLP]
Classification according to Regulation (E Aerosol 1 H222;H229 Eye Irrit. 2 H319 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP)	EC) No. 1272/2008 [CLP]
Classification according to Regulation (E Aerosol 1 H222;H229 Eye Irrit. 2 H319 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) N	 EC) No. 1272/2008 [CLP] No. 1272/2008 [CLP] I I I I I I I I I I I I I I I I I I I
Classification according to Regulation (E Aerosol 1 H222;H229 Eye Irrit. 2 H319 Full text of H-phrases: see section 16 2.2. Label elements Labelling according to Regulation (EC) N Hazard pictograms (CLP)	EC) No. 1272/2008 [CLP] No. 1272/2008 [CLP] T S GHS02 GHS02 GHS07 S GHS07 S HS07 HS07

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

3.2. **Mixture**

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Alcohol	(CAS No) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5 (REACH-no) 01-2119457610-43	10 - 20	Flam. Liq. 2, H225 Eye Irrit. 2, H319
ISOPROPYL ALCOHOL	(CAS No) 67-63-0 (EC no) 200-661-7 (EC index no) 603-117-00-0 (REACH-no) 01-2119457558-25	1 - 10	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
TETRAMETHYL ACETYLOCTAHYDRONAPHTHALENES	(CAS No) 54464-57-2 (EC no) 259-174-3 915-730-3 (REACH-no) 01-2119489989-04	0,1 - 1	Aquatic Chronic 2, H411 Skin Irrit. 2, H315 Skin Sens. 1, H317
hexyl 2-hydroxybenzoate	(CAS No) 6259-76-3	0,1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
BENZYL SALICYLATE	(CAS No) 118-58-1 (EC no) 204-262-9	0,1 - 1	Skin Sens. 1, H317
Specific concentration limits:			
Name	Product identifier	Specific c	oncentration limits
Alcohol	(CAS No) 64-17-5 (EC no) 200-578-6 (EC index no) 603-002-00-5 (REACH-no) 01-2119457610-43	(C >= 50) Ey	ye Irrit. 2, H319

Full text of H-phrases: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Cough. Allow breathing of fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effe	cts, both acute and delayed
Symptoms/injuries after inhalation	: Shortness of breath.
Symptoms/injuries after eye contact	: Causes serious eye irritation.
4.3. Indication of any immediate medic	al attention and special treatment needed
No additional information available	
SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the s	ibstance or mixture
Fire hazard	: Extremely flammable aerosol.
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. DO NOT fight fire when fire reaches explosives. Evacuate area.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
19/05/2015	EN (English) 2/8

Safety Data Sheet

according to Regulation (EC) No. 453/2010

according to Regulation (EC) No. 453/2010	
SECTION 6: Accidental release r	neasures
6.1. Personal precautions, protectiv	ve equipment and emergency procedures
General measures	: No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters.	Notify authorities if liquid enters sewers or public waters.
6.3. Methods and material for conta	inment and cleaning up
Methods for cleaning up	: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and pers	sonal protection.
SECTION 7: Handling and storage	je
7.1. Precautions for safe handling	
Additional hazards when processed	: Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source.
Hygiene measures	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
7.2. Conditions for safe storage, inc	cluding any incompatibilities
The sheet of the second s	Description of the expression of the expected static structure is a static time in the static stati

7.2. Conditions for sale storage, inclu	ang any incompatibilities
Technical measures	: Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Direct sunlight, Heat sources, Ignition sources. Do not expose to temperatures exceeding 50 °C/ 122 °F.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/personal protection

```
8.1. Control parameters
```

ISOPROPYL ALCOHOL (67-63-0)			
United Kingdom	Local name	Propan-2-ol	
United Kingdom	WEL TWA (mg/m ³)	999 mg/m³	
United Kingdom	WEL TWA (ppm)	400 ppm	
United Kingdom	WEL STEL (mg/m ³)	1250 mg/m ³	
United Kingdom	WEL STEL (ppm)	500 ppm	
Alcohol (64-17-5)			
United Kingdom	Local name	Ethanol	
United Kingdom	WEL TWA (mg/m ³)	1920 mg/m ³	
United Kingdom	WEL TWA (ppm)	1000 ppm	

8.2.	Exposure	controls

Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves
Eye protection	: None under normal use
Respiratory protection	: None under normal use
Other information	: Do not eat, drink or smoke during use.

Safety Data Sheet

according to Regulation (EC) No. 453/2010

according to Regulation (EC) No. 453/2010			
SECTION 9: Physical and chemica	l properties		
9.1. Information on basic physical and	I chemical properties		
Physical state	: Liquid		
Appearance	: Clear Transparent Liquid.		
Colour	: colourless to slightly yellow.		
Odour	: characteristic.		
Odour threshold	: No data available		
рН	: No data available		
Relative evaporation rate (butylacetate=1)	: No data available		
Melting point	: No data available		
Freezing point	: No data available		
Boiling point	: No data available		
Flash point	: No data available		
Auto-ignition temperature	: No data available		
Decomposition temperature	: No data available		
Flammability (solid, gas)	: Extremely flammable aerosol		
Vapour pressure	: 3,5 - 4,5 bar		
Relative vapour density at 20 °C	: No data available		
Relative density	: 0,619 - 0,645		
Solubility	: No data available		
Log Pow	: No data available		
Viscosity, kinematic	: No data available		
Viscosity, dynamic	: No data available		
Explosive properties	: No data available		
Oxidising properties	: No data available		
Explosive limits	: 1,8 - 19 vol %		
9.2. Other information			
No additional information available			
SECTION 10: Stability and reactivit	ay state of the st		
10.1. Reactivity			
No additional information available			
10.2. Chemical stability			
Extremely flammable aerosol. Contains gas ur sources of ignition.	nder pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other		
10.3. Possibility of hazardous reactions	10.3. Possibility of hazardous reactions		
Not established.			
10.4. Conditions to avoid			
Direct sunlight. Extremely high or low tempera	tures. Heat. Sparks. Open flame. Overheating.		
10.5. Incompatible materials			

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information			
11.1. Information on toxicological effects			
Acute toxicity	: Not classified		
hexyl 2-hydroxybenzoate (6259-76-3)			
LD50 oral rat	> 5000 mg/kg		
ISOPROPYL ALCOHOL (67-63-0)			
LD50 oral rat	2000 mg/kg		
LD50 oral	4396 mg/kg bodyweight		
LD50 dermal rat	2000 mg/kg		
LD50 dermal	12800 mg/kg bodyweight		
LC50 inhalation rat (Dust/Mist - mg/l/4h)	46,6 mg/l/4h		

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Alcohol (64-17-5)	
LD50 oral rat	7060 mg/kg
LD50 oral	10470 mg/kg bodyweight
LD50 dermal rabbit	> 16000 mg/kg
LD50 dermal	15800 mg/kg bodyweight
LC50 inhalation rat (mg/l)	> 20 mg/l/4h
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 99,999 mg/l/4h
Skin corrosion/irritation	: Not classified
	Based on available data, the classification criteria are not met
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
	Based on available data, the classification criteria are not met
Germ cell mutagenicity	: Not classified
	Based on available data, the classification criteria are not met
Carcinogenicity	: Not classified
	Based on available data, the classification criteria are not met
Reproductive toxicity	: Not classified
	Based on available data, the classification criteria are not met
Specific target organ toxicity (single exposure)	: Not classified
	Based on available data, the classification criteria are not met
Specific target organ toxicity (repeated	: Not classified
exposure)	Based on available data, the classification criteria are not met
Appiration borand	
Aspiration hazard	: Not classified
	Based on available data, the classification criteria are not met
COTTON BERRY MB DUET	
Vaporizer	Aerosol
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.

SECTION 12: Ecological information 12.1. Toxicity

ISOPROPYL ALCOHOL (67-63-0)		
LC50 fish 1	100 mg/l	
EC50 Daphnia 1	100 mg/l	
EC50 other aquatic organisms 1	> 1000 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	13299 mg/l IC50 algea (72 h) mg/l	
Alcohol (64-17-5)		
LC50 fish 1	13000 mg/l	
EC50 Daphnia 1	9300 mg/l	
EC50 other aquatic organisms 1	275 mg/l EC50 waterflea (48 h)	
EC50 other aquatic organisms 2	5012 mg/l IC50 algea (72 h) mg/l	

12.2. Persistence and degradability			
COTTON BERRY MB DUET			
Persistence and degradability	Not established.		
Alcohol (64-17-5)			
Persistence and degradability	Not established.		
12.3. Bioaccumulative potential			
COTTON BERRY MB DUET			
Bioaccumulative potential	Not established.		
Alcohol (64-17-5)			
Bioaccumulative potential	Not established.		
12.4. Mobility in soil			
No additional information available			
12.5. Results of PBT and vPvB assessment			

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 453/2010

Other adverse effects 12.6.

Additional information

: Avoid release to the environment

 Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use.
: Flammable vapours may accumulate in the container.
Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

ADR	IMDG	IATA	ADN	RID
14.1. UN number				
1950	1950	1950	1950	1950
14.2. UN proper shippin	g name			
AEROSOLS	AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
Transport document descri	ption			•
UN 1950 AEROSOLS, 2.1, (D)	UN 1950 AEROSOLS, 2.1			
14.3. Transport hazard	class(es)			
2.1	2.1	2.1	2.1	2.1
2		2	2	2
14.4. Packing group	14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental haz	14.5. Environmental hazards			
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No	Dangerous for the environment : No	Dangerous for the environment : No
No supplementary information available				

14.6. Special precautions for user

 Overland transport 	
Classification code (ADR)	

erenand nanopert	
Classification code (ADR)	: 5F
Special provisions (ADR)	: 190, 327, 344, 625
Limited quantities (ADR)	: 11
Excepted quantities (ADR)	: E0
Packing instructions (ADR)	: P207, LP02
Special packing provisions (ADR)	: PP87, RR6, L2
Mixed packing provisions (ADR)	: MP9
Transport category (ADR)	: 2
Special provisions for carriage - Packages (ADR)	: V14
Special provisions for carriage - Loading, unloading and handling (ADR)	: CV9, CV12
Special provisions for carriage - Operation (ADR)	: S2
Tunnel restriction code (ADR)	: D
- Transport by sea	
Special provisions (IMDG)	: 63, 190, 277, 327, 344, 959
Limited quantities (IMDG)	: SP277
Excepted quantities (IMDG)	: E0
Packing instructions (IMDG)	: P207, LP02
Special packing provisions (IMDG)	: PP87, L2
EmS-No. (Fire)	: F-D
10/05/2015	ENI (Engligh)

Safety Data Sheet

according to Regulation (EC) No. 453/2010

EmS-No. (Spillage)	: S-U
Stowage category (IMDG)	: None
Stowage and segregation (IMDG)	: Protected from sources of heat For AEROSOLS with a maximum capacity of 1 litre: Category A. Segregation as for class 9 but 'Separated from' class 1 except division 1.4. For AEROSOLS with a capacity above 1 litre: Category B. Segregation as for the appropriate sub-division of class 2. For WASTE AEROSOLS: Category C. Clear of living quarters. Segregation as for the appropriate sub-division of class 2.
- Air transport	
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Y203
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 203
PCA max net quantity (IATA)	: 75kg
CAO packing instructions (IATA)	: 203
CAO max net quantity (IATA)	: 150kg
Special provisions (IATA)	: A145, A167
ERG code (IATA)	: 10L
- Inland waterway transport	
Classification code (ADN)	: 5F
Special provisions (ADN)	: 19, 327, 344, 625
Limited quantities (ADN)	: 1L
Excepted quantities (ADN)	: E0
Equipment required (ADN)	: PP, EX, A
Ventilation (ADN)	: VE01, VE04
Number of blue cones/lights (ADN)	: 1
Carriage prohibited (ADN)	: No
Not subject to ADN	: No
- Rail transport	
Classification code (RID)	: 5F
Special provisions (RID)	: 190, 327, 344, 625
imited quantities (RID)	: 1L
Excepted quantities (RID)	: E0
Packing instructions (RID)	: P207, LP02
Special packing provisions (RID)	: PP87, RR6, L2
Mixed packing provisions (RID)	: MP9
Fransport category (RID)	: 2
Special provisions for carriage – Packages (RID)	: W14
Special provisions for carriage - Loading, unloading and handling (RID)	: CW9, CW12
Colis express (express parcels) (RID)	: CE2
Hazard identification number (RID)	: 23
Carriage prohibited (RID)	: No

Not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1.

15.1.1. **EU-Regulations**

Contains no substances with Annex XVII restrictions Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances

15.1.2. National regulations

No additional information available

15.2.	Chemical safety assessment	
No chemi	ical safety assessment has been carried ou	ut
19/05/2015	5	EN (English)

Safety Data Sheet

according to Regulation (EC) No. 453/2010

SECTION 16: Other information

Data sources	REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.
Full text of H- and EUH-phrases:	
Aerosol 1	Aerosol, Category 1
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment — Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitisation — Skin, category 1
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Narcosis
H222	Extremely flammable aerosol
H225	Highly flammable liquid and vapour
H229	Pressurised container: May burst if heated
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
EUH208	Contains . May produce an allergic reaction

SDS EU ANNEX II NEWELL

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product